

Table showing Nozzle Flow Rate (litres/min.) for a given Working Pressure and Nozzle Size



Working Pressure in Bar (1 bar = 14.5 psi)

Nozzle Size	Working Pressure in Bar (1 bar = 14.5 psi)																		
	30	40	50	60	70	80	90	100	110	120	130	140	150	160	175	200	225	250	300
02	2.5	2.8	3.2	3.5	3.7	4	4.2	4.5	4.7	4.8	5	5.3	5.4	5.6	5.9	6.3	6.7	7	7.7
02.5	3.1	3.5	4	4.3	4.7	5	5.3	5.6	5.9	6.1	6.4	6.6	6.9	7.1	7.5	8	8.5	9	9.9
03	3.7	4.3	4.8	5.3	5.7	6.1	6.3	6.8	7.1	7.4	7.7	8	8.3	8.6	9	9.6	10.2	10.7	11.8
03.5	4.2	4.9	5.5	6	6.5	7	7.4	7.8	8.2	8.6	8.9	9.2	9.5	9.8	10.3	11	11.7	12.3	13.8
04	5.2	5.9	6.6	7.3	7.8	8.4	8.9	9.4	9.8	10.3	10.7	11.1	11.5	11.9	12.4	13.3	14.1	14.8	16.3
04.5	5.5	6.4	7.1	7.8	8.4	9	9.6	10.2	10.5	10.9	11.4	11.8	12.2	12.6	13.2	14.1	15	15.8	17.4
05	6.2	7.1	8	8.7	9.4	10	10.7	11.3	11.8	12.4	12.9	13.4	13.8	14.3	14.9	16	16.9	17.9	19.7
05.5	6.8	7.8	8.7	9.6	10.3	11.1	11.8	12.4	13	13.6	14.1	14.7	15.2	15.7	16.4	17.5	18.6	19.6	21.7
06	7.4	8.6	9.6	10.4	11.3	12.1	12.8	13.6	14.3	14.9	15.5	16	16.7	17.2	18	19.2	20.4	21.5	23.7
06.5	8	9.3	10.4	11.3	12.3	13.2	14	14.7	15.4	16.1	16.8	17.4	18	18.6	19.4	20.8	22	23.2	25.6
07	8.6	10	11.2	12.2	13.2	14.1	15	15.8	16.6	17.3	18	18.7	19.3	20	20.9	22.3	23.7	25	27.1
07.5	9.3	10.7	12	13.1	14.2	15.2	16.1	16.9	17.7	18.5	19.3	20	20.7	21.4	22.4	23.9	25.3	26.7	29.4
08	9.8	11.3	12.7	14	15.1	16.1	17.1	18	18.9	19.7	20.5	21.3	22	22.8	23.8	25.5	27	28.5	31.4
08.5	10.4	12.1	13.5	14.8	16	17.1	18.1	19.1	20	20.9	21.8	22.6	23.4	24.1	25.3	27	28.6	30.2	34.5
09	11.1	12.8	14.3	15.7	17	18	19.2	20.2	21.2	22.1	23	23.9	24.7	25.5	26.7	28.6	30.3	31.9	35.1
10	12.3	14.2	16	17.4	18.9	20.1	21.4	22.5	23.6	24.6	25.6	26.6	27.6	28.5	29.8	31.8	33.7	35.6	39.2
11	13.4	15.5	17.3	19	20.5	22	23.3	24.5	25.7	26.9	28	29.1	30.1	31.1	32.5	34.7	36.8	38.8	43.4
12	14.6	16.9	18.9	20.8	22.4	24	25.4	26.8	28.1	29.4	30.6	31.7	32.8	33.9	35.4	37.9	40.2	42.4	46.7
13	15.9	18.3	20.5	22.5	24.3	26	27.5	29	30.4	31.8	33.1	34.4	35.6	36.7	38.4	41.1	43.6	45.9	50.5
14	17.1	19.7	22.1	24.2	26.1	28	29.6	31.3	32.8	34.2	35.6	37	38.3	39.5	41.4	44.3	46.9	49.4	55
15	18.5	21.3	23.9	26.1	28.3	30.2	32.1	33.8	35.3	36.9	38.4	39.9	41.3	42.6	44.6	47.7	50.6	53.3	58.7
20	24.7	28.5	31.9	34.9	37.8	40.3	42.7	45.1	47.2	49.3	51.3	53.2	55.1	56.9	59.5	63.6	67.5	71.1	78.2
30	37	42.7	47.8	52.4	56.6	60.5	64.2	67.6	70.9	74	77.1	80	82.8	85.5	89.4	95.6	101	107	118
40	49.4	57	63.7	69.8	75.4	80.7	85.5	90.2	94.6	98.8	103	107	110	114	119	127	135	143	157

Using the Table - Example

For a nozzle size, say **08** at a working pressure, say **100 bar** read across the table on nozzle size **08** and in column **100 bar** read off the flow rate = 18 litres/min

Choosing Nozzle Size for a System

Note: This is only a guide to choosing the maximum size of nozzle that will operate on your system. A smaller nozzle may be required to achieve the desired cleaning effect.

To choose the correct nozzle, you need to know the working pressure (in bar), the flow rate (in litres per min.) of the pump and the maximum number of people using the system at any one time.

e.g. working pressure = 70 bar / maximum flow = 100 litres per min. / Number of users = 5.

Therefore max flow divided by number of users = $100 \div 5 = 20$ = each user can have 20 litres of water.

Look on the top line of the table and go to 70 bar. Follow the column down until the nearest figure below 20 is reached (18.9)

Follow the row to the left until the nozzle size column is reached. The nozzle size is 10.

Choose the angle size from 0°, 15°, 25°, 40°, or 65°. e.g. 25° angle, nozzle size 10.

Nozzle required is a 2510